

No.



8000110

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Royal Sluis

Whereas, THERE HAS BEEN PRESENTED TO THE  
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (7 U.S.C. 2321 ET SEQ.)

BEAN

'Gourmet'



In Testimony Whereof, I have hereunto set  
my hand and caused the seal of the Plant  
Variety Protection Office to be affixed  
at the City of Washington  
this *16th* day of April in  
the year of our Lord one thousand nine  
hundred and eighty-one.

Attest:

*Lyman C. Yeager*  
Commissioner  
Plant Variety Protection Office  
Grain Division

*John R. Block*

UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
LIVESTOCK, POULTRY, GRAIN & SEED DIVISION

FORM APPROVED  
OMB NO. 40-R3822

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

No certificate for plant variety protection may be issued unless a completed application form has been received (5 U.S.C. 553).

1a. TEMPORARY DESIGNATION OF VARIETY <b>RS 2214</b>		1b. VARIETY NAME <i>Gourmet</i> <sup>let 8/03/82</sup>		FOR OFFICIAL USE ONLY PV NUMBER <b>8000110</b>	
2. KIND NAME <b>Dwarf Snap Bean</b>		3. GENUS AND SPECIES NAME <b>Phaseolus vulgaris</b>		FILING DATE <b>5/12/80</b>	TIME <b>11:30</b> <sup>A.M.</sup>
4. FAMILY NAME (BOTANICAL) <b>Leguminosa</b>		5. DATE OF DETERMINATION <b>September 1977</b>		FEE RECEIVED \$ <b>500.00</b> \$ <b>250.00</b>	DATE <b>5/12/80</b> <b>3/17/81</b>
6. NAME OF APPLICANT(S) <b>ROYAL SLUIS, Konink- lijke Zaaizaadbedrijven Gebroeders Sluis B.V.</b>		7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) <b>P.O. Box 22 - Westeinde 161 1600 AA ENKHUIZEN - Holland</b>		8. TELEPHONE AREA CODE AND NUMBER <b>02280-2741</b>	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) <b>association</b>			10. IF INCORPORATED, GIVE STATE AND DATE OF INCORPORATION		11. DATE OF INCORPORATION
12. NAME AND MAILING ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS: <b>J.G. Timmerman ROYAL SLUIS B.V. P.O. Box 22 - 1600 AA ENKHUIZEN - Holland</b>					

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- ☒ 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)
- ☒ 13B. Exhibit B, Novelty Statement.
- ☒ 13C. Exhibit C, Objective Description of the Variety (Request form from Plant Variety Protection Office.)
- ☐ 13D. Exhibit D, Additional Description of the Variety.

14a. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a). (If "Yes," answer 14B and 14C below.) ☐ YES ☒ NO

14b. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?  
☐ YES ☒ NO

14c. IF "YES," TO 14B, HOW MANY GENERATIONS OF PRODUCTION BEYOND BREEDER SEED?  
☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

15a. DID THE APPLICANT(S) FILE FOR PROTECTION OF THIS VARIETY IN OTHER COUNTRIES? ☐ YES ☒ NO (If "Yes," give name of countries and dates.)

15b. HAVE RIGHTS BEEN GRANTED THIS VARIETY IN OTHER COUNTRIES? ☐ YES ☒ NO (If "Yes," give name of countries and dates.)

16. DOES THE APPLICANT(S) AGREE TO THE PUBLICATION OF HIS/HER (THEIR) NAME(S) AND ADDRESS IN THE OFFICIAL JOURNAL? ☒ YES ☐ NO

17. The applicant(s) declare(s) that a viable sample of basic seed of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

March 31, 1980.  
(DATE)

  
(SIGNATURE OF APPLICANT)

11:30 am  
MAY 12 1980

## INSTRUCTIONS

**GENERAL:** Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

### ITEM

- 5 Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- 13a Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- 13b Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties: (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- 13d Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- 14a If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- 15a See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

8000110

## 13A. Exhibit A

=====

Pedigree: Slingreen x own parentlines.

<sup>Gourmet</sup>  
RS-2214 has been derived from several backcrosses of our parentlines to incorporate the pod qualities of Slingreen in the variety and to improve the plant type.

The backcross method of breeding has been used. For the last several generations line selection has been carried out. Disease resistance testing has been carried out before multiplication of elite seeds.

<sup>Gourmet</sup>  
RS-2214 appears stable and uniform through several generations of selfing and during our seed increase program.  
Flat podded off-types appear approximately 1 : 10,000.

557  
810312

8000110

13B. Exhibit B Novelty Statement

=====

<sup>Gourmet</sup>

~~RS-2214~~ is most similar to Smilo.

<sup>Gourmet</sup>

~~RS-2214~~ differs from Smilo in its darker pods

(Smilo : 143 C<sup>\*</sup>, <sup>Gourmet</sup>~~RS-2214~~ : 138 B<sup>\*</sup>) and in its longer pods

(Smilo : 10 cm, <sup>Gourmet</sup>~~RS-2214~~ : 11 cm)

<sup>Gourmet</sup>

~~RS-2214~~ is also similar to Pros, but is one day earlier maturing and has smaller fly-leaves (bractea).

1st 810312

\*

Royal Horticultural Society Colour Chart.



# ROYAL SLUIS

KONINKLIJKE ZAAIZAADBEDRIJVEN GEBROEDERS SLUIS B.V.

U.S. Department of Agriculture  
Agricultural Marketing Service  
Livestock, Poultry, Grain & Seed Division  
BELTSVILLE, Maryland 20705

POSTBOX 22, 1600 AA ENKHUIZEN  
HOLLAND

U.S.A.

Attention: Mr. Thaddeus E. Frey

October 16, 1980.

Subject: bean application No. 8000110, <sup>Gourmet</sup> RS-2214. 187 810312

Dear Mr. Frey,

In addition to your request dated May 23, 1980 for statistical data on the podlength of ~~RS-2214~~ <sup>Gourmet</sup> and Smilo, we can inform you that in a sample of 100 mature pods of each variety we had the following results:

	<u>average podlength</u>	<u>standard error</u>	<u>n</u>
<sup>Gourmet</sup> <del>RS-2214</del>	10,9 cm	0,3	100
Smilo	10,1 cm	0,3	100

We hope that this information is sufficient to process the application.

Yours sincerely,

ROYAL SLUIS

  
J.G. Timmerman  
Marketing Department

JGT/WB

OBJECTIVE DESCRIPTION OF VARIETY  
BEAN (*Phaseolus vulgaris* L.)

NAME OF APPLICANT(S)  ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) Royal Sluis, P.O. Box 22, 1600 AA Enkhuizen The Netherlands	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">FOR OFFICIAL USE ONLY</th> </tr> <tr> <td style="padding: 2px;">PVPO NUMBER</td> <td style="padding: 2px;"></td> </tr> <tr> <td style="padding: 2px;">VARIETY NAME OR TEMPORARY DESIGNATION</td> <td style="padding: 2px;">RS 2214 <i>Gourmet</i> 184</td> </tr> </table>	FOR OFFICIAL USE ONLY		PVPO NUMBER		VARIETY NAME OR TEMPORARY DESIGNATION	RS 2214 <i>Gourmet</i> 184
FOR OFFICIAL USE ONLY							
PVPO NUMBER							
VARIETY NAME OR TEMPORARY DESIGNATION	RS 2214 <i>Gourmet</i> 184						

Place numbers in the boxes (e.g. 0 8 9 ) for the characters that best describe this variety. Measured data should be for SPACED PLANTS. Ranges may also be given. Royal Horticultural Society or any recognized color standard may be used to determine plant colors; designate system used: Royal Horticultural Society Colour Chart The location of test area is Enkhuizen, The Netherlands. Please answer questions appropriate for your variety if the information is available.

1. TYPE:

2 1 = Field (dry-edible)      2 = Garden

2. MARKET MATURITY:

<p><span style="border: 1px solid black; padding: 0 5px;">7</span> <span style="border: 1px solid black; padding: 0 5px;">7</span> Days to edible pods</p> <p><span style="border: 1px solid black; padding: 0 5px;">0</span> <span style="border: 1px solid black; padding: 0 5px;">9</span> <span style="border: 1px solid black; padding: 0 5px;">5</span> Days to dry seeds</p> <p><span style="border: 1px solid black; padding: 0 5px;">0</span> <span style="border: 1px solid black; padding: 0 5px;">6</span> <span style="border: 1px solid black; padding: 0 5px;">9</span> <span style="border: 1px solid black; padding: 0 5px;">0</span> Heat units to edible pods</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> Heat units to dry seeds</p> <p><span style="border: 1px solid black; padding: 0 5px;">0</span> <span style="border: 1px solid black; padding: 0 5px;">1</span> No. days earlier than ..... <span style="border: 1px solid black; padding: 0 5px;">7</span> }</p> <p style="text-align: center;">..... Same as ... <span style="border: 1px solid black; padding: 0 5px;"></span> }</p> <p><span style="border: 1px solid black; padding: 0 5px;">0</span> <span style="border: 1px solid black; padding: 0 5px;">1</span> No. days later than ..... <span style="border: 1px solid black; padding: 0 5px;">8</span> }</p>	<p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> Days to green shells</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> Heat units to green shells</p> <p>1 = Tendercrop      2 = Kentucky Wonder          3 = Kinghorn Wax      4 = White Kidney          5 = Michelite 62      6 = Dwarf Horticultural          7 = Bush Blue Lake 290      8 = Other (specify below)</p> <p style="text-align: center;"><u>SMILO</u></p>
---	--

3. PLANT:

1 1 = Determinate      2 = Indeterminate

<p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;">3</span> <span style="border: 1px solid black; padding: 0 5px;">5</span> cm height</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> cm shorter than ..... <span style="border: 1px solid black; padding: 0 5px;"></span> }</p> <p style="text-align: center;">..... Same as ... <span style="border: 1px solid black; padding: 0 5px;">8</span> }</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> cm taller than ..... <span style="border: 1px solid black; padding: 0 5px;"></span> }</p> <p><span style="border: 1px solid black; padding: 0 5px;">2</span> <span style="border: 1px solid black; padding: 0 5px;">8</span> cm spread</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> cm narrower than ..... <span style="border: 1px solid black; padding: 0 5px;"></span> }</p> <p style="text-align: center;">..... width same as ... <span style="border: 1px solid black; padding: 0 5px;">8</span> }</p> <p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;"></span> cm wider than ..... <span style="border: 1px solid black; padding: 0 5px;"></span> }</p> <p><span style="border: 1px solid black; padding: 0 5px;">2</span> Main stalk: 1 = brittle      2 = wirey</p>	<p><span style="border: 1px solid black; padding: 0 5px;"></span> <span style="border: 1px solid black; padding: 0 5px;">1</span> <span style="border: 1px solid black; padding: 0 5px;">2</span> Number primary branches near base</p> <p><span style="border: 1px solid black; padding: 0 5px;">1</span> Branching habit:          1 = compact      2 = open</p> <p>comparison variety from above</p> <p><span style="border: 1px solid black; padding: 0 5px;">1</span> 1 = stout      2 = thin</p>
--	--

### 3. PLANT: (Cont'd)

☐ 2 Pod position: 1 = low    2 = high    3 = scattered

☐ 4 Bush form (illustrated below):



1 = spherical bush form



2 = stem bush form



3 = wide bush form



4 = high bush form

5 = other (specify) \_\_\_\_\_

### 4. LEAVES:

☐ 1 1 = smooth    2 = wrinkled

☐ 2 1 = dull    2 = glossy

☐ 1 Size: 1 = small (Earliwax)    2 = medium    3 = large (Tendercrop)

☐ 2 Color: 1 = light green (as light or lighter than Bountiful)    2 = medium green  
3 = dark green (as dark or darker than Bush Blue Lake 290)

### 5. FLOWERS:

☐ 1 Color: 1 = white    2 = cream    3 = pink    4 = lilac    5 = purple    6 = Other (specify) \_\_\_\_\_

☐ Days to 50% bloom

### 6. FRESH PODS: (Edible maturity, average for 20 pods)

☐ 3 Exterior color: 1 = light green (as light or lighter than Bountiful)  
2 = medium green  
3 = dark green (as dark or darker than Bush Blue Lake 290)  
4 = light yellow (Brittlewax)  
5 = golden yellow (Cherokee Wax)  
6 = green-red variegated (Horticultural)  
7 = other (specify) \_\_\_\_\_

% Sieve size distribution at optimum maturity for non-flat pods

#### Note:

1 = 4.76 mm to 5.76 mm

4 = 8.34 mm to 9.53 mm

2 = 5.76 mm to 7.34 mm

5 = 9.53 mm to 10.72 mm

3 = 7.34 mm to 8.34 mm

6 = 10.72 mm or larger

1	2	3	4	5	6
-	50	29	16	5	-

3 sieve	<input type="checkbox"/> 1 <input type="checkbox"/> 1 cm length	<input type="checkbox"/> <input type="checkbox"/> 8 mm width	<input type="checkbox"/> <input type="checkbox"/> 8 mm thickness
4 sieve	<input type="checkbox"/> <input type="checkbox"/> cm length	<input type="checkbox"/> <input type="checkbox"/> mm width	<input type="checkbox"/> <input type="checkbox"/> mm thickness
5 sieve	<input type="checkbox"/> <input type="checkbox"/> cm length	<input type="checkbox"/> <input type="checkbox"/> mm width	<input type="checkbox"/> <input type="checkbox"/> mm thickness
6 sieve	<input type="checkbox"/> <input type="checkbox"/> cm length	<input type="checkbox"/> <input type="checkbox"/> mm width	<input type="checkbox"/> <input type="checkbox"/> mm thickness






- ☐ 3 Cross section pod shape: 1 = flat 2 = oval 3 = round 4 = heart
- ☐ 2 Creaseback: 1 = present 2 = absent
- ☐ 1 Pubescence: 1 = none 2 = sparse 3 = considerable
- ☐ 2 Spur: 1 = straight 2 = slightly curved 3 = curved
- ☐ 1 Constrictions: 1 = none 2 = slight 3 = deep
- ☐ 2 Pod flesh: 1 = light 2 = medium 3 = dark
- ☐ 0 ☐ 8 mm spur length
- ☐ 1 Fiber: 1 = none 2 = sparse 3 = considerable
- ☐ 6 Number of seeds per pod
- ☐ 1 Surface: 1 = smooth 2 = rough
- ☐ 2 Suture string: 1 = present 2 = absent
- ☐ 1 Seed development (Snap Bean): 1 = slow 2 = medium 3 = fast
- ☐ 1 Machine harvest: 1 = adapted 2 = not adapted
- ☐ 1 Pod flavor: (1) Standard (Tendercrop)  
(2) Mild Blue Lake (BBL 274)  
(3) Strong Blue Lake (Pole FM1)  
(4) Mild Romano (Roma)  
(5) Strong Romano (Pole Romano)  
(6) Other (specify) \_\_\_\_\_

#### 7. SEED COAT COLOR:

- ☐ 1 1 = Monochrome 2 = Polychrome ☐ 1 1 = shiny 2 = dull
- ☐ 1 Primary color: 1 = white 2 = yellow 3 = buff 4 = tan
- ☐ 1 Secondary color: 5 = brown 6 = pink 7 = red 8 = purple  
9 = blue 10 = black 11 = other (specify) \_\_\_\_\_
- ☐ 0 Color Pattern: 1 = none 2 = splashed 3 = mottled 4 = striped 5 = flecked 6 = dotted
- ☐ 1 Secondary color location: 1 = hilar ring 2 = ventral surface  
3 = sides 4 = dorsal surface  
5 = not restricted to any area 6 = combination of location (specify below) \_\_\_\_\_
- ☐ 1 Hilar ring on colored seeds: 1 = absent 2 = narrow 3 = butterfly shaped

#### 8. SEED SHAPE AND SIZE:

- ☐ 1 Hilum view: 1 = elliptical 2 = oval 3 = round ☐ 4 Cross section: 1 = elliptical 2 = oval 3 = cordate 4 = round
- ☐ 1 Side view:  1 = oval to oblong  2 = round  3 = reniform

**8. SEED SHAPE AND SIZE: (Cont'd)**

☒ 2 1 = truncate ends 2 = rounded ends

☒ 1 ☒ 7 gm/100 seed

☐ ☐ gm/100 seed lighter than ..... ☐

gm/100 seed same as .... ☒ 8

☐ ☐ gm/100 seed heavier than ..... ☐

} comparison variety from page one

**9. ANTHOCYANIN: (1 = absent 2 = present)**

☒ 1 Flowers

☒ 1 Stems

☒ 1 Pods

☒ 1 Seeds

☒ 1 Leaves

**10. DISEASE RESISTANCE (0 = not tested 1 = susceptible 2 = resistant):**

☒ 2 Anthracnose (specify race below) \_\_\_\_\_

☐ 0 Rust (specify race below) \_\_\_\_\_

☐ 0 Powdery mildew

☐ 0 Fusarium root rot

☐ 0 Pythium root rot

☐ 0 Rhizoctonia root rot

☐ 0 Pythium wilt

☐ 0 Angular leaf spot

☒ 1 Bacterial wilt

☐ 0 Halo blight (specify race below) \_\_\_\_\_

☐ 0 Fuscous blight

☐ 0 Red node virus

☐ 0 Pod mottle virus

☒ 1 Bean common mosaic virus (specify strain below) \_\_\_\_\_

☒ 2 Mosaic mottle

☒ 1 Black root

☐ 0 Bean yellow mosaic virus

☐ 0 Curly top

☐ Other (specify below) \_\_\_\_\_

**11. INSECT RESISTANCE: (0 = not tested 1 = susceptible 2 = resistant)**

☐ 0 Aphids

☐ 0 Leaf hopper

☐ 0 Lygus

☐ 0 Pod borer

☐ 0 Root knot nematode

☐ 0 Seed corn maggot

☐ 0 Thrips

☐ 0 Weavils

☐ 0 Other (specify below) \_\_\_\_\_

**12. PHYSIOLOGICAL RESISTANCE: (0 = not tested 1 = susceptible 2 = resistant)**

☒ 2 Heat

☒ 1 Cold

☒ 2 Drought

☐ 0 Air pollution

**13. COMMENTS:**